


SCHEME OF AUTOMATIC BIOFIREPLACE SMART FIRE A6 800 MM

SIDE VIEW



Technical drawing of the Wild Flame fireplace unit. The unit is rectangular with overall dimensions of 800 mm in width and 350 mm in height. The front panel features a central horizontal burner assembly with a series of small holes. Below the burner are two rectangular openings, labeled 3 and 6. The unit is mounted on a base, labeled 1. The brand name "WILD FLAME" is visible on the lower left side. A power cord with a two-prong plug is shown on the left side, labeled 5. The distance from the top edge to the burner assembly is labeled A. The distance from the bottom edge to the burner assembly is labeled A. The distance from the burner assembly to the bottom edge is labeled 3. The distance from the burner assembly to the top edge is labeled 6.





SCHEME OF SMART FIRE A6

800 X 350 X 200 MM

WWW.WILDFLAME.NL

NO:	NAMES
1	FRONT PANEL OF AUTOMATIC BIOFIREPLACE
2	DOUBLE-WALL HULL
3	FILLING CAP
4	FIRE LINE
5	POWER CABLE (220V)
6	CONTROL PANEL

SCHEME OF NICHE FOR AN AUTOMATIC BIOFIREPLACE SMART FIRE A6 800 MM (FLUSH - MOUNTED)






SCHEME OF A NICHE FOR SMART FIRE A6 BIOFIREPLACE

WILD FLAME

DUTCH MANUFACTURER

SCHEME OF AUTOMATIC BIOFIREPLACE SMART FIRE A6 800 MM




SCHEME OF A NICHE FOR SMART FIRE A6 BIOFIREPLACE

WILD FLAME

DUTCH MANUFACTURER

SCHEME OF AUTOMATIC BIOFIREPLACE SMART FIRE A6 800 MM



SCHEME OF A NICHE FOR SMART FIRE A6 BIOFIREPLACE

Dimensiones: L800 x An350 x Al200 – Línea de fuego: 600 mm (posibilidad de ajustar las dimensiones hasta 600 cm)

Capacidad del depósito de combustible: 3,8 litros (posibilidad de ajustar el depósito)

Ajuste de la altura de la llama: 2 posiciones (posibilidad de ajuste)

Autonomía de combustión: hasta 6 horas (en el nivel más bajo)

Tipo de combustible: Bioetanol al 96 % (RECOMENDACIÓN: Wild Flame)

Panel de control: oculto; se abre presionando la compuerta

Cristal protector tintado: 2 piezas con soportes magnéticos

Materiales: metal, acero inoxidable

Sistema de alimentación de combustible automático: sí

Repostaje: bomba automática

Encendido automático: sí

Altura de la llama: hasta 20 cm

Potencia calorífica: 4,9 kW

Mando a distancia: sí

Peso: 38 kg

Garantía: 2 años

EL SET INCLUYE: Troncos cerámicos artesanales sostenibles, virutas decorativas, 2 cristales tintados con soportes magnéticos

7 sensores de seguridad:

1. Sensor de CO2
2. Sensor de temperatura
3. Sensor de funcionamiento/estado
4. Sensor sísmico
5. Sensor de desbordamiento
6. Sensor de presión de combustible
7. Sensor de seguridad del sistema de repostaje