


SCHEME OF AUTOMATIC BIOFIREPLACE SMART FIRE A6 1900 MM

SIDE VIEW



Technical drawing of the Wild Flame 1900 x 350 mm unit. The drawing shows a top-down view of the unit with dimensions 1900 mm (width) and 350 mm (height). The unit features a central horizontal burner assembly with a series of small holes. Below the burner are two rectangular control panels, each with a small circular indicator. The unit is labeled "WILD FLAME" in the bottom left corner. A power cord with a two-prong plug is shown on the left side, labeled "5". The unit is labeled "1" in the bottom right corner. The burner assembly is labeled "3". The control panels are labeled "6". The unit is labeled "A" on the right side. The unit is labeled "1900" at the top and "350" on the right side.




SCHEME OF SMART FIRE A6

1900 X 350 X 200 MM

WWW.WILDFLAME.NL

NO:	NAMES
1	FRONT PANEL OF AUTOMATIC BIOFIREPLACE
2	DOUBLE-WALL HULL
3	FILLING CAP
4	FIRE LINE
5	POWER CABLE (220V)
6	CONTROL PANEL

SCHEME OF NICHE FOR AN AUTOMATIC BIOFIREPLACE SMART FIRE A6 1900 MM (FLUSH - MOUNTED)





NICHE DIMENSIONS FOR EMBEDDING THE FUEL BLOCK:




NICHE LENGTH - 1880 MM
NICHE WIDTH - 330 MM
NICHE DEPTH - 230 MM

DIMENSIONS OF THE SEAT FOR THE FRONT PANEL OF THE FUEL BLOCK:


NICHE LENGTH - 1902 MM
NICHE WIDTH - 352 MM
NICHE DEPTH - 4 MM



SCHEME OF AUTOMATIC BIOFIREPLACE SMART FIRE A6 1900 MM



SCHEME OF AUTOMATIC BIOFIREPLACE SMART FIRE A6 1900 MM



Dimensiones: Largo 1900 x Ancho 350 x Alto 200 – Línea de fuego: 1700 mm
(posibilidad de ajustar las dimensiones hasta 600 cm)
Capacidad del depósito de combustible: 10,8 litros (posibilidad de ajustar el depósito)
Ajuste de la altura de la llama: 2 posiciones (posibilidad de ajuste)
Autonomía de combustión: hasta 6 horas (en el nivel más bajo)
Tipo de combustible: Bioetanol al 96 % (RECOMENDACIÓN: Wild Flame)
Panel de control: oculto; se abre presionando la compuerta
Cristal protector tintado: 2 piezas con soportes magnéticos
Materiales: metal, acero inoxidable
Sistema de alimentación de combustible automático: sí
Repostaje: bomba automática
Encendido automático: sí
Altura de la llama: hasta 20 cm
Potencia calorífica: 19,8 kW
Mando a distancia: sí
Peso: 71 kg
Garantía: 2 años

EL SET INCLUYE: Troncos de cerámica sostenible hechos a mano, virutas decorativas y 2 cristales tintados con soportes magnéticos

7 sensores de seguridad:

1. Sensor de CO₂
2. Sensor de temperatura
3. Sensor de seguridad operativa
4. Sensor sísmico
5. Sensor de desbordamiento
6. Sensor de presión de combustible
7. Sensor de seguridad del sistema de repostaje